5

10

15

20

25

## **CLAIMS**

## What is claimed is:

- 1. A composition, comprising,
  - (a) (i) a first polymer having at least one intact amide acetal groups attached to a molecule of said first polymer;
    - (ii) a crosslinking agent containing first functional groups which react with hydroxyl groups or secondary amines, provided that said crosslinking agent has an average of at least two first functional groups per molecule of said crosslinking agent;
    - (iii) optionally at least one solvent; and
    - (iv) optionally at least one catalyst for the reaction of said hydroxyl groups or secondary amines with said first functional groups; and at least one second catalyst for hydrolysis of said amide acetal groups;

and

- (b) (i) a second polymer having second functional groups which react with hydroxyl groups or secondary amines, provided that said second polymer has an average of at least two second functional groups per molecule of said second polymer;
  - (ii) a compound containing at least one intact amide acetal group;
  - (iii) optionally at least one solvent; and
  - (iv) optionally at least one first catalyst for the reaction of said hydroxyl groups or secondary amines with said second functional groups; and at least one second catalyst for hydrolysis of said amide acetal groups.
- 2. A composition, comprising,
  - (a) (i) a first polymer having at least one intact amide acetal group attached to a molecule of said first polymer;
    - (ii) a crosslinking agent containing first functional groups which react with hydroxyl groups or secondary amines, provided that said crosslinking agent has an average of at least two first functional groups per molecule of said crosslinking agent;
    - (iii) water; and

- (iv) optionally at least one or more solvent;
- (v) optionally at least one first catalyst for the reaction of said hydroxyl groups or secondary amines with said first functional groups; and optionally at least one second catalyst for hydrolysis of said amide acetal groups;

and

- (b) (i) a second polymer having second functional groups which react with hydroxyl groups or secondary amines, provided that said second polymer has an average of at least two second functional groups per molecule of said second polymer;
  - (ii) a compound containing at least one intact amide acetal group;
  - (iii) water; and
  - (iv) optionally at least one or more solvent;
  - (v) optionally at least one first catalyst for the reaction of said hydroxyl groups or secondary amines with said first functional groups; and optionally at least one second catalyst for hydrolysis of said amide acetal groups.
- 3. A process for the crosslinking of a polymeric composition, comprising, exposing said polymeric composition in the uncrosslinked form to water to crosslink said polymeric composition, provided that said polymeric composition comprises,
  - (a) (i) a first polymer having at least one intact amide acetal group attached to said first polymer;
    - (ii) a crosslinking agent containing first functional groups which react with hydroxyl groups or secondary amines, provided that said crosslinking agent has an average of at least two first functional groups per molecule of said crosslinking agent; and
    - (iii) optionally at least one solvent; and
    - (iv) optionally at least one catalyst for the reaction of said hydroxyl groups or secondary amines with said first functional groups; and at least one second catalyst for hydrolysis of said amide acetal groups;

5

10

20

30

25

and

- (b) (i) a second polymer having second functional groups which react with hydroxyl groups or secondary amines, provided that said second polymer has an average of at least two second functional groups per molecule of said second polymer;
  - (ii) a compound containing at least one intact amide acetal group;
  - (iii) optionally at least one solvent; and
  - (iv) at least one first catalyst for the reaction of said hydroxyl groups or secondary amines with said second functional groups; and at least one second catalyst for hydrolysis of said amide acetal groups.
- 4. A process for forming a crosslinked coating, comprising,
  - (A) applying a polymeric coating composition to a substrate in an uncrosslinked form;
  - (B) exposing said polymeric coating composition in an uncrosslinked form to water; and
  - (C) allowing said polymeric coating composition in an uncrosslinked form to crosslink, provided that said polymeric composition comprises,
    - (a) (i) a first polymer having at least one intact amide acetal group attached to said first polymer;
      - (ii) a crosslinking agent containing first functional groups which react with hydroxyl groups or secondary amines, provided that said crosslinking agent has an average of at least two first functional groups per molecule of said crosslinking agent; and
      - (iii) optionally at least one or more solvent;
      - (iv) optionally at least one first catalyst for the reaction of said hydroxyl groups or secondary amines with said first functional groups; and optionally at least one second catalyst for hydrolysis of said amide acetal groups;

and

10

5

15

20

25

30

- (b) (i) a second polymer having second functional groups which react with hydroxyl groups or secondary amines, provided that said second polymer has an average of at least two second functional groups per molecule of said second polymer;
  - (ii) a compound containing at least one intact amide acetal group; and
  - (iii) optionally at least one or more solvent;
  - (iv) optionally at least one first catalyst for the reaction of said hydroxyl groups or secondary amines with said first functional groups; and optionally at least one second catalyst for hydrolysis of said amide acetal groups.
- 5. The composition as recited in Claim 1 which is reacted with water to form a crosslinked polymeric material.

5

10

15

20

25

30

- 6. The composition as recited in Claim 2 which is reacted with water to form a crosslinked polymeric material.
- 7. The composition as recited in Claim 1 which is a coating composition.
  - 8. The composition as recited in Claim 2 which is a coating composition.
  - 9. The coating composition as recited in Claim 7 or Claim 8 wherein the functional group that can react with the hydroxyl groups or the secondary amines is isocyanate.
  - 10. The composition as recited in Claim 7 or Claim 8, wherein the composition further comprises additives selected from group consisting of pigments, stabilizers, rheology control agents, flow agents, toughening agents, fillers, and combinations thereof.
  - 11. The composition as recited in Claim 10, wherein the additive is a pigment.
  - 12. The composition as recited in Claim 7 or Claim 8, wherein the composition further comprises materials selected from group consisting of functionalized oligomers, polyaspartic esters, binder of a noncyclic oligomer, binder of an acrylic polymer, polyester, binder of a dispersed acrylic component, and combinations thereof.

- 13. A substrate coated with a coating composition as recited in Claim 7 or Claim 8.
  - 14. The product of the process of Claim 3 which is crosslinked.
  - 15. The product of the process of Claim 4 which is crosslinked.
  - 16. The product of Claim 3 which is a coating.

- 17. The coating composition as recited in Claim 7 or Claim 8 wherein the number average molecular weight of the second polymer is less than about 3000.
- 18. The coating composition as recited in Claim 17, wherein the second polymer has isocyanate functionality.